527 Rec'd PCT/T FORM-PTO-U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE ATTORNEY'S DOCKET NUMBER TRANSMITTAL LETTER TO THE UNITED STATES 027566-021 DESIGNATED/ELECTED OFFICE (DO/EO/DS) U.S. APPLICATION NO. (If known, see 37 C.F.R. 1.5). CONCERNING A FILING UNDER 35, Ú.S.C. 371 Unassigned 9 INTERNATIONAL APPLICATION NO. INTERNATIONAL P NOV 1 7 2000 PRIORITY DATE CLAIMED 17 May 1999 -PCT/FI99/00424~ 18 May 1998, TITLE OF INVENTION CALL INFORMATION OUTPUT IN A TELECOMMUNICATION NET\ Άκ، APPLICANT(S) FOR DO/EO/US Mikko, LIPSANEN, Patrik Kim NILSSON; Patrik Kjell-Johan PALM ~ Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information: This is a FIRST submission of items concerning a filing under 35 U.S.C. 371. This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371. 2 3 This is an express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and the PCT Articles 22 and 39(1). A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date. A copy of the International Application as filed (35 U.S.C. 371(c)(2)) is transmitted herewith (required only if not transmitted by the International Bureau). has been transmitted by the International Bureau. is not required, as the application was filed in the United States Receiving Office (RO/US) 6 A translation of the International Application into English (35 U.S.C. 371(c)(2)). 7. Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3)) are transmitted herewith (required only if not transmitted by the International Bureau). have been transmitted by the International Bureau. have not been made; however, the time limit for making such amendments has NOT expired. have not been made and will not be made. A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)). An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)). 10. A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).

Items 11, to 16, below concern other document(s) or information included:

An Information Disclosure Statement under 37 CFR 1.97 and 1.98.

12. An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.

13. A FIRST preliminary amendment.

A SECOND or SUBSEQUENT preliminary amendment.

14. A substitute specification.

A change of power of attorney and/or address letter.

Other items or information:

International Preliminary Examination Report; PCT Demand; PCT Request; Unexecuted Declaration

529 Rec'd PCT/FTC 17 NOV 2000

U.S. APPLICATION NO. (If known,/ see 37 CF.P, 180) 5 8 5 INTERNATIONAL APPLICATION NO PCT/F199/00424					ATTORNEY'S DOCKET NUMBER 027566-021		
17. 🛛	The following	fees are submitted:			CALC	ULATIONS	PTO USE ONLY
Basic Nat	ional Fee (37 C	FR 1.492(a)(1)-(5)):					
Neiti nor i and	her internationa international sea International Se	I preliminary examination fee arch fee (37 CFR 1.445(a)(2) earch Report not prepared by	(37 CFR 1.482) i) paid to USPTO the EPO or JPO	. \$1,000.00 (960)			
Inter USP	rnational prelimi TO but Internat	nary examination fee (37 CF ional Search Report prepared	R 1.482) not paid to I by the EPO or JPO	\$860.00 (970)			
Inter but i	rnational prelimi international sea	nary examination fee (37 CF arch fee (37 CFR 1.445(a)(2)	R 1.482) not paid to USPTO )) paid to USPTO	\$710.00 (958)			
Inter but a	rnational prelimi all claims did no	nary examination fee paid to at satisfy provisions of PCT A	USPTO (37 CFR 1.482) Article 33(1)-(4)	\$690.00 (956)			
Inter and	rnational prelimi all claims satisf	nary examination fee paid to ied provisions of PCT Article	USPTO (37 CFR 1.482) 33(1)-(4)	\$100.00 (962)			
		ENTER	APPROPRIATE BASIC I	EE AMOUNT =	\$	1,000.00	
Surcharge months fr	e of \$130.00 (1 rom the earliest	54) for furnishing the oath o	or declaration later than R 1.492(e)).	20 🗆 30 🗆	\$		
С	Claims	Number Filed	Number Extra	Rate			
Total Clai	ims	9 -20 =	0	X\$18.00 (966)	\$	- 0 -	
Independe	ent Claims	3 -3 =	0	X\$80.00 (964)	\$	- 0 -	
Multiple c	dependent claim	(s) (if applicable)		+ \$270.00 (968)	\$	***	
			TOTAL OF ABOVE CA			1,000.00	
Reduction	n for 1/2 for filit ote 37 CFR 1.9,	ng by small entity, if applicat , 1.27, 1.28).	ole. Verified Small Entity state	ement must also be	\$		-
	SUBTOTAL =					1,000.00	
Processin months fi	ng fee of \$130.0 rom the earliest	00 (156) for furnishing the E claimed priority date (37 CF	nglish translation later than R 1.492(f)).	20 🗆 30 🗆	\$		
j H			TOTAL N	ATIONAL FEE =	\$	1,000.00	
Fee for re an approp	ecording the end priate cover she	closed assignment (37 CFR 1 et (37 CFR 3.28, 3.31). \$4	.21(h)). The assignment mus IO.00 (581) per property +		\$		
7			TOTAL FE	ES ENCLOSED =	\$	1,000.00	
i i						nount to be: refunded	ş
						charged	\$
a. 🛛	A check in th	ne amount of \$1,000.00	to cover the above fees	s enclosed.			
b. 🗆	Please charge enclosed.	e my Deposit Account No. <u>0</u>	2-4800 in the amount of \$	to cover the abov	e fees.	A duplicate of	copy of this sheet
c. 🛛	The Commiss	sioner is hereby authorized to 02-4800. A duplicate copy	o charge any additional fees w of this sheet is enclosed.	hich may be required,	or cred	lit any overpay	ment to Deposit
NO mu	TE: Where an		37 CFR 1.494 or 1.495 has n	ot been met, a petition	to revi	ive (37 CFR 1	.137(a) or (b))
	LL CORRESPON			#111	1	R.	
SEND A				10 m.	dh	1/05	
		Grudziecki ANE, SWECKER & MATHIS 1404		NATURE		<u>v</u> - /	
	Alexandria (703) 836	ı, Virginia 22313-1404 -6620	<u>Ste</u> NAM	ven M. du Bois Æ			
				023 ISTRATION NUMBER			
			NEG	THOIN INDINE			

# 09/70058**5** 529 Rec'd PCT/PTC 17 NOV 2000

Patent Attorney's Docket No. <u>027566-021</u>

### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re P	atent Application of	)	
		)	
Mikko	LIPSANEN et al.	)	Group Art Unit: Unassigned
		)	
Applic	ation No.: Unassigned	)	Examiner: Unassigned
		)	
Filed:	November 17, 2000	)	
		)	
For:	CALL INFORMATION OUTPUT IN	)	
	A TELECOMMUNICATION	)	
	NETWORK	)	
		)	

# PRELIMINARY AMENDMENT

Assistant Commissioner for Patents

Washington, D.C. 20231

Sir:

Prior to examination, please amend the above-identified application as follows:

# IN THE CLAIMS

Please amend claim 5 and 8 as follows:

Claim 5, lines 1 and 2, delete "any one of the preceding claims" and insert

therefor --claim 1--.

Claim 8, line 1, delete "or 7".

# REMARKS

The above amendments to the claims have been made in order to eliminate multiple dependencies. Favorable action on the merits of the application is respectfully requested.

Respectfully submitted,

BURNS, DOANE, SWECKER & MATHIS, L.L.P.

Steven M. du Bois

Registration No. 35,023

P.O. Box 1404 Alexandria, Virginia 22313-1404 (703) 836-6620

Date: November 17, 2000

PRTS

09/70058**5** PCT/FIS9/00424 529 Rec'd PCT/PTC 17 NOV 2000

# CALL INFORMATION OUTPUT IN A TELECOMMUNICATION NETWORK

# Field of the Invention

5 The present invention relates to a method and apparatus for outputting call information in a telecommunication network.

#### Background to the Invention

In telecommunication networks such as fixed access networks and cellular radio telephone networks there is usually a need to record call information at at least one exchange of the network. This information may include the identity of a caller (A-number), the identity of the called party (B-number), and the duration of a call. In cellular radio telephone networks, the recorded information may also include the International Mobile Subscriber Identity (IMSI) code of the Subscriber Identity Module (SIM) used with the calling mobile telephone, and the International Mobile Equipment Identity (IMEI) code of the calling telephone itself. Both the IMSI and IMEI codes are typically sent by a mobile telephone to the cellular network during a call set-up phase. For a given call, a record stored in an exchange is normally output to a centralised billing system of the network upon termination of the call. Historically, this record has been referred to as a "Toll Ticket" (TT) although more recently the term "Call Data Record" (CDR) has been used.

US5,506,893 describes a telecommunication network in which a CDR is output from a switching centre to an external billing system upon termination of a call.

25

30

#### Summary of the Invention

According to a first aspect of the present invention there is provided a method of providing information relating to a telecommunication call, in a telecommunication network, to a data storage system, the method comprising:

receiving caller identity information at an exchange of the network during a call set-up procedure between a calling device and the exchange, and storing the information at least temporarily at the exchange;

sending an incoming call alert message to a called device:

prior to receiving a call answer message at the exchange, or in direct response to receipt of a call answer message, outputting from the exchange to said data storage system a Call Data Record containing at least the received caller identity information.

20 Embodiments of the present invention provide for the output of call information at a very early stage in a call, i.e. immediately following the answering of the call or during the call set-up phase. This makes possible, for example, real-time billing and fraud 25 detection prior to or during a call.

In certain embodiments of the present invention, the telecommunication network comprises a cellular radio telephone network and the call is made from a cellular radio telephone device. The exchange from which the call information is output is then the Mobile Switching Centre (MSC). The information may include at least one of the subscriber telephone number, IMEI code, IMSI code, or B-number.

In other embodiments of the present invention, the telecommunication network comprises a fixed access

20

25

30

35

network in which telephone device is coupled to the exchange via land lines. The information output by the exchange preferably includes the caller's telephone number (A-number) and the called number (B-number).

According to a second aspect of the present invention there is provided apparatus for providing information relating to a telecommunication call, in a telecommunication network, to a data storage system, the apparatus comprising:

first receiving means for receiving caller identity information at an exchange of the network during a call set-up procedure between a calling device and the exchange, and for storing the information at least temporarily at the exchange;

transmitting means for transmitting an incoming call alert message to a called device;

second receiving means for receiving, in the event that the called device answers or otherwise accepts the incoming call alert, a call answer message sent to the exchange; and

output means for outputting, prior to, or in response to, receipt of said call answer message, from the exchange to said data storage system, a Call Data Record containing at least the received caller identity information.

Preferably, said first and second receiving means, said transmitting means, and said output means are provided as an integral part of the network exchange. Where the network comprises a cellular radio telephone network, the exchange is a Mobile Switching Centre (MSC). The MSC may be contained within a housing which is physically spaced apart from an external billing system which is arranged to receive the Call Data Record output by the MSC. More preferably, a plurality of MSCs are

15

20

25

30

WO 99/60770 PCT/F199/00424

4

arranged to provide the output CDRs to a common external billing system.

According to a third aspect of the present invention there is provided a telecommunication network having a plurality of interconnected exchanges for routing calls in the network, and a common billing system coupled to each of said exchanges, each exchange comprising:

first receiving means for receiving caller identity information during a call set-up procedure between a calling device and the exchange, and for storing the information at least temporarily at the exchange;

transmitting means for transmitting an incoming call alert message to a called device or to a called device via one or more further exchanges:

second receiving means for receiving, in the event that the called device answers or otherwise accepts the incoming call alert, a call answer message sent to the exchange; and

output means for outputting, prior to or in response to receipt of said call answer message, from the exchange to a data storage system, a Call Data Record containing at least the received caller identity information.

# Brief Description of the Drawings

For a better understanding of the present invention and in order to show how the same may be carried into effect reference will now be made, by way of example, to the accompanying drawings, in which:

Figure 1 shows schematically a telecommunication network including a cellular radio telephone network;

Figure 2 is a flow diagram illustrating the method of operation of the telecommunication network of Figure 1: and

Figure 3 illustrates an external billing system shared by a number of Mobile Switching Centres of a cellular radio telephone network.

## 5 Detailed Description of Embodiments

There is shown in Figure 1 a telecommunication network comprising a Global System for Mobile Communications (GSM) cellular radio telephone network and a fixed access network. The former consists of a Mobile Switching Centre (MSC) 1, a set of Base Station Controllers (BSC) 2 only one of which is shown in Figure 1, and a set of Base Transceiver Stations (BTS) 3 again only one of which is shown in the Figure. The MSC, BSCs, and ETSs provide functionality as defined in the relevant European Telecommunications Standards Institute (ETSI) GSM standards.

In the GSM network, mobile stations such as that

indicated by reference numeral 4 communicate with a BTS

over the air interface. User data and signaling
messages are coupled between the BTS 3 and the MSC 1 via
the BSC 2. The MSC 1 acts as an exchange of the GSM
network, routing calls between a mobile station 4 and a

called, or calling, station.

In the example of Figure 1, the destination of a call from the mobile station 4 is a land line telephone 5 which belongs to a subscriber of a fixed access network 30 6. A call may be routed through several intermediate exchanges (e.g. in the case of an international call) and may also pass through several exchanges of the fixed access network, although for the sake of clarity these exchanges are not shown in Figure 1. In the same way, it will be appreciated that a call may be routed through several MSCs 1 en route from the mobile station 4 to the fixed line telephone 5.

The mobile station 4 is provided with a Subscriber Identity Module (SIM) 7 which contains a solid state memory arranged to store a unique International Mobile Subscriber Identity (IMSI) code. The mobile station 4 itself has a solid state memory arranged to store a second unique code known as an International Mobile Equipment Identity (IMEI) code. The form of these two codes is defined in the relevant GSM standard.

When a user of the mobile terminal 4 places a call to the fixed line telephone 5 by dialing the B-number of that telephone, at least the IMSI code and the telephone number (A-number) assigned to the mobile terminal 4 are transmitted to an input/output device 8 of the MSC 1 on a signaling channel of the GSM network (the IMEI code may or may not be sent at this stage). In response to the call request, the MSC 1 first verifies the right of the mobile terminal 4 to use the services of the GSM network on the basis of the A-number and the IMSI code (e.g. using a database of subscribers of the GSM network).

Assuming that the mobile terminal 4 receives

25 authorisation from the MSC 1 to place the call, the MSC 1 transmits an incoming call request from an output/output device 9 to the fixed line telephone 5 via the fixed access telephone network. A signaling protocol such as the Signaling System 7 (SS7) is used to relay the request between the MSC 1 and the various exchanges. When the request reaches the fixed line telephone 5, the phone rings in the normal manner.

If the call is answered at the fixed line telephone 5, then a call answer message is returned to the fixed access network 6, either by the telephone 5 or by some intermediate device, e.g. a concentrator. The call

20

25

30

35

answer message is also transmitted back to the input/output device 9 of the MSC 1 of the GSM network, again using the SS7 signaling protocol.

5 Connected to the MSC 1 of the GSM network is a so-called input/output group device or external billing system 10. This may be a personal computer (PC), work station, data storage device or the like, which logs information concerning calls switched by the MSC 1. The information recorded by the external billing system 10 enables the operator of the GSM network to charge subscribers, trace calls, and identify calls made from "illegal" equipment. The latter is achieved using the transmitted IMSI code and also the IMEI code (if transmitted).

When the call answer message is received by the MSC 1 from the fixed line telephone 5, the MSC 1 provides a traffic channel (i.e. voice or data) to the mobile station 4 enabling the mobile subscriber to communicate with the fixed line telephone. In addition, receipt of the call answer message causes the MSC 1 to output to the external billing system 10, via an input/output device 11, the caller's A-number, IMSI code, the called party's B-number, and the call start time. This data is in the form of a partial Charging Data Record (CDR) and is recorded by the external billing system 10. When the call is terminated by one of the parties to the call hanging-up, a call termination message is received by the MSC, and a call end time output to the input/output group device 10 to complete the partial CDR.

Figure 2 is a flow chart illustrating the method of operation of the network of Figure 1, and relates in particular to the output of the CDR to the external billing system 10.

The external billing system is physically separate from the MSC (1) which is usually contained within a single large housing. By transferring the partial CDR, upon receipt of the call answer message from the B-

subscriber, to the external billing system the network operator is able to access the record at an early stage in a call for the purposes already set out above.

The external billing system is typically shared by a number of MSCs 1 of the GSM network. This is illustrated in Figure 3.

It will be appreciated by the person of skill in the art that various modifications may be made to the above described embodiment without departing from the scope of the present invention. For example, the exchange from which the CDR is output may be an exchange of a fixed access network rather than that of a cellular radio telephone network. In another modification, the partial CDR is output from the exchange to the external billing system during the call set-up phase, i.e. prior to the call answer message being received at the exchange from the B-subscriber. The CDR provided to the external billing system may include additional information such

25 as the MSC identity, and the originating/terminating cell identity (Cell Global Identity) in the GSM network.

# Claims

 A method of providing information relating to a telecommunication call, in a telecommunication network, to a data storage system, the method comprising:

receiving caller identity information at an exchange of the network during a call set-up procedure between a calling device and the exchange, and storing the information at least temporarily at the exchange;

sending an incoming call alert message to a called device;

prior to receiving a call answer message at the exchange, or in direct response to receipt of a call answer message, outputting from the exchange to said data storage system a Call Data Record containing at least the received and stored caller identity information.

- A method according to claim 1, wherein the
   telecommunication network comprises a cellular radio telephone network and the call is made from a cellular radio telephone device.
- 3. A method according to claim 2, wherein the cellular
  25 radio telephone network is a GSM network and said
  exchange from which the Call Data Record is output is a
  Mobile Switching Center, the method comprising
  outputting from the Mobile Switching Center at least one
  of the subscriber telephone number, IMEI code, or IMSI
  30 code.
  - 4. A method according to claim 1, wherein the telecommunication network comprises a fixed access network in which telephone device is coupled to the exchange via land lines, the method comprising outputting from the exchange at least the caller's telephone number (A-number).

20

25

30

- 5. A method according to any one of the preceding claims and comprising outputing said call data record to an external billing system.
- 6. Apparatus for providing information relating to a telecommunication call, in a telecommunication network, to a data storage system (10), the apparatus comprising:

first receiving means (8) for receiving caller identity information at an exchange (1) of the network during a call set-up procedure between a calling device (4) and the exchange (1), and for storing the information at least temporarily at the exchange (1);

 $\mbox{transmitting means (9) for transmitting an incoming } \\ \mbox{call alert message to a called device (5);}$ 

second receiving means (9) for receiving, in the event that the called device (5) answers or otherwise accepts the incoming call alert, a call answer message sent to the exchange (1); and

output means (11) for outputting, prior to or in response to receipt of said call answer message, from the exchange (1) to said data storage system (10), a Call Data Record containing at least the received and stored caller identity information.

- 7. Apparatus according to claim 6, wherein said first and second receiving means (8,9), said transmitting means (9), and said output means (11) are provided as an integral part of the network exchange (1), and said data storage system (10) is physically separate from the exchange (1).
- 8. Apparatus according to claim 6 or 7, the network comprising a cellular radio telephone network and said exchange (1) being a Mobile Switching Centre (MSC) of the cellular network.

 A telecommunication network having a plurality of interconnected exchanges for routing calls in the network, and a billing system coupled to each of said
 exchanges, each exchange comprising:


first receiving means (8) for receiving caller identity information during a call set-up procedure between a calling device (4) and the exchange (1), and for storing the information at least temporarily at the exchange (1);

transmitting means (9) for transmitting an incoming call alert message to a called device (5) or to a called device (5) via one or more further exchanges (1);

second receiving means (9) for receiving, in the
15 event that the called device (5) answers or otherwise
accepts the incoming call alert, a call answer message
sent to the exchange (1); and

output means (11) for outputting, prior to or in response to receipt of said call answer message, from 20 the exchange (1) to a data storage system (10), a Call Data Record containing at least the received and stored caller identity information.

1/2






Figure 3




Figure 2

COMBINED   (Includes Ref	DECLARATION FOR PATENT APPLICATION AND POWER OF ATTORNEY (erence to Provisional and PCT International Applications)	Attorney's Docket No. 027566-021
My residence I believe I an (if plural name entitled:	named inventor, I hereby declare that:  2. post office address and citizenship are as stated below next to my name;  In the original, first and sole inventor (if only one name is listed below) or a ness are listed below) of the subject matter which is claimed and for which a  DRMATION OUTPUT IN A TELECOMMUNICATION NETWORK	n original, first and joint inventor patent is sought on the invention
the s	specification of which (check only one item below):	
	is attached hereto.	
DX	was filed as United States application	
	Number <u>09/700,585 /</u>	
	on November 17, 2000	
	and was amended	
	on November 17, 2000. (if applicable	).
П	was filed as PCT international application	
	Number	
	on	
	and was amended	
	on (if applicable	).
I hereby state amended by	that I have reviewed and understand the contents of the above-identified spany amendment referred to above.	ecification, including the claims, a
I acknowledg Title 37, Cod	e the duty to disclose to the Office all information known to me to be mater to of Federal Regulations. §1.56.	rial to patentability as defined in
United States certificate or	in foreign priority benefits under Title 35, United States Code, §119 (a)-(e)- intor's certificate or of any PCT international application(s) designating at le of America listed below and have also identified below any foreign applica- any PCT international application(s) designating at least one country other to in the same subject matter having a filing date before that of the application(s)	east one country other than the tion(s) for patent or inventor's han the United States of America
PRIOR FORE	EIGN/PCT APPLICATION(S) AND ANY PRIORITY CLAIMS UNDER 3	5 U.S.C. §119:
	JNTRY DATE OF FILING	

COUNTRY (if PCT, indicate "PCT")	APPLICATION NUMBER	DATE OF FILING (day, month, year)	PRIORITY CLAIMED UNDER 35 U.S.C. §119
Finland,	981105	18 May 1998	X Yes _ No
			_Yes _No
			_ Yes _ No
			Yes No
			Yes No
hereby claim the benefit unde elow.	r Title 35, United States Code	§ 119(e) of any United States pr	rovisional application(s) lisu
(Application N	umber)	(Filing Date)	
(Application N	ımber)	(Filing Date)	

200
41
16
11
72
10)
111
13/

.

COMBINED DECLARATION FOR PATENT APPLICATION AND POWER OF ATTORNEY (CONT'D) (Includes Reference to Provisional and PCT International Applications)

Attorney's Docket No.

027566-021

I hereby claim the benefit under Title 35. United States Code, §120 of any United States applications(s) or PCT international application(s) designating the United States of America that is/are listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in that/those prior application(s) in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose to the Office all information known to me to be material to the patentability as defined in Title 37, Code of Federal Regulations §1.56, which became available between the filing date of the prior application(s) and the national or PCT international filing date of this application:

PRIOR U.S. APPLICATIONS OR PCT INTERNATIONAL APPLICATIONS DESIGNATING THE U.S. FOR BENEFIT UNDER 35 U.S.C. §120:

U.S, APPLICATIONS				STATUS (check one)			
U.S. APPLICATION NU	JMBER	U.S. FILING DATE	PATENTED	PENDING	ABANDONED		
			ļ		-		
			-				
			-		-		
PCT A	PPLICATIONS DESIGN	TING THE U.S.					
PCT APPLICATION NO.	PCT FILING DATI	U.S. APPLICATION NUMBERS ASSIGNED (if any)					
PCT/F199/00424	17 May 1999	Unassigned		×			

I hereby appoint the following attorneys and agent(s) to prosecute said application and to transact all business in the Patent and Trademark Office connected therewith and to file, prosecute and to transact all business in connection with international applications directed to said invention:

17,337 William L. Mathis Robert S. Swecker 19,885 Platon N. Mandros 22,124 Benton S. Duffett, Jr. 22,030 Norman H. Stepno 22,716 Ronald L. Grudziecki 24,970 26,003 Frederick G. Michaud, Jr. Alan E. Kopecki 25,813 Rogis E. Slutter 26,999 27,360 28.531 28.223 Samuel C. Miller, III Robert G Mutul George A. Hovanec, Jr. mcs A. LaBarre 28 632 E. Joseph Gess

R. Danny Huntington Eric H. Weisblatt James W. Peterson Teresa Stanek Rea Robert E. Krebs William C. Rowland T. Gene Dillahuncy Patrick C. Kenne B. Jefferson Baggs, Jr. William H. Benz Peter K. Skiff Richard J. McGrath Matthew L. Schneider

Michael G. Savage

27,903 30,505 26,057

30,427 25,885 30,888

25,423

32,858

32,344

25,952

31,917 29,195 32,814

Gerald F. Swiss 30,113 33,096 Charles F. Wicland III Bruce T. Wieder 33,815 Todd R. Walters 34,040 Ronni S. Jillions 31,979 Harold R. Brown III 36,341 36,086 Allen R. Baum Steven M. duBois 5,023 Brian P. O'Shaughnessy 32.747 Kenneth B. Leffler Fred W. Hathaway

21839

36,075 32,236 

and;

Address all correspondence to:



21839

Ronald L. Grudziecki

BURNS, DOANE, SWECKER & MATHIS, L.L.P.

P.O. Box 1404

Alexandria, Virginia 22313-1404

Address all telephone calls to: Steven M. du Bois

at (703) 836-6620.

(10/0

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon

COMBINED DECLARATION FOR PATENT APPLICATIO		RNEY (CONT'D)	Attorney's Do
(Includes Reference to Provisional and PCT Internation	al Applications)		027566-021
FULL NAME OF SOLE OR FIRST INVENTOR	SIGNATURE		DATE 20
Mikko LIPSANEN RESIDENCE	11 was or	CITIZENSHIP	04.01,
FIN-21380 Aura, FINLAND FIX. POST OFFICE ADDRESS		Finnish	
Harakkamäentie 59 B. FIN-21380 Aura, FINLAND			
FULL NAME OF SECOND IOINT INVENTOR, IF ANY	SIGNATURE	11/4	DATE
Patrik Kim NILSSON	X Jan.		18.1.20
RESIDENCE		CITIZENSHIP	
FIN-20500 Turku, FINLAND F		·Finnsh J	WEDISH
POST OFFICE ADDRESS			
Kellonsoittajankatu 8 B 9, FIN-20500 Turku, FINLAND	T-100-100-100-100-100-100-100-100-100-10		
FULL NAME OF THIRD JOINT INVENTOR, IF ANY	STATE	<b>~</b>	DATE 1 .2
Patrik Kjell-Johan PALM RESIDENCE	11/2010.	CITIZENSHIP	
Stockholm, SWEDEN SEX			FINNIS
POST OFFICE ADDRESS		-Bwcdish-	1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Starrängsringen 42, S-115 50 Stockholm, SWEDEN			
FULL NAME OF FOURTH JOINT INVENTOR, IF ANY	SIGNATURE		DATE
RESIDENCE		CITIZENSHIP	
POST OFFICE ADDRESS			
FULL NAME OF FIFTH JOINT INVENTOR, IF ANY	SIGNATURE	<u> </u>	DATE
THE PARTY OF THE P	SIGNATURE		DATE
RESIDENCE		CITIZENSHIP	
POST OFFICE ADDRESS			
full name of sixth joint inventor, if any	SIGNATURE		DATE
RESIDENCE			
A MARKET PER A NAME OF THE PERSON OF T		CITIZENSHIP	
POST OFFICE ADDRESS			
FULL NAME OF SEVENTH JOINT INVENTOR, IF ANY	SIGNATURE		DATE
			1
RESIDENCE		CITIZENSHIP	
		1	
POST OFFICE ADDRESS			
FULL NAME OF EIGHTH JOINT INVENTOR, IF ANY	SIGNATURE		-
BITTON, E ANT	DIUNATURE		DATE
RESIDENCE		CITIZENSHIP	ــــــــــــــــــــــــــــــــــــــ
POST OFFICE ADDRESS		1	